



Blaupunkt Appliances



Luxury
Wide Product Range
Performance
Quality
Service



Chimneys

Gas Hobs

Refrigerators

MWO

Ovens

Inductions

Induction with Extractors

Dishwashers

Dryers

Chimneys

Inclined



T shaped



- 2 Shapes and 3 Sizes
- Shapes – Inclined and T Shaped
- Sizes – 60 cm, 75 cm, 90 cm
- Metal and Glass Panel/ Black
- BLDC Motor
- Extraction Mode
- LED Lighting
- 9 Power Levels
- Filter less Design
- Oil Collector
- Touch Control & Motion Sensor
- Auto Clean
- 220 – 240 Volts

SAP Code : 943629700

Oblique Hood- 90 cms - Alpha - 5IL69460

MRP : ₹ 47,600

DP : ₹ 30,940



Size : 90 cm



Color : Metal + Glass Panel Black

Total Connection Load : BLDC Motor/ 130 W

Voltage : 220-240 V

Extraction Mode : Yes

Lighting : LED

Power Level : 9

Filter less Design : Yes

Heat Auto Clean : Yes

Oil Collector : Yes

Touch Control & Motion Sensor: Yes

Auto Clean : Yes

Appliance Dimention : 90.0x32.5x84.5 cm

SAP Code : 943629800

Oblique Hood- 75 cms - Alpha - 5IL68460

MRP : ₹ 45,600

DP : ₹ 29,640



Size : 75 cm ✨

Color : Metal + Glass Panel Black

Total Connection Load : BLDC Motor/ 130 W

Voltage : 220-240 V

Extraction Mode : Yes

Lighting : LED

Power Level : 9

Filter less Design : Yes

Heat Auto Clean : Yes

Oil Collector : Yes

Touch Control & Motion Sensor: Yes

Auto Clean : Yes

Appliance Dimention : 75.0x32.5x84.5 cm

SAP Code : 943629900

Oblique Hood- 60 cms - Alpha - 5IL66460

MRP : ₹ 43,600

DP : ₹ 28,340



Size : 60 cm



Color : Metal + Glass Panel Black

Total Connection Load : BLDC Motor/ 130 W

Voltage : 220-240 V

Extraction Mode : Yes

Lighting : LED

Power Level : 9

Filter less Design : Yes

Heat Auto Clean : Yes

Oil Collector : Yes

Touch Control & Motion Sensor: Yes

Auto Clean : Yes

Appliance Dimention : 60.0x32.5x84.50 cm

SAP Code : 943630000

Wall Hood- 90 cms - Alpha - 5IS66460

MRP : ₹ 40,000

DP : ₹ 26,000



Size : 90 cm



Color : Metal + Glass Panel Black

Construction Type : Wall Hood

Total Connection Load : BLDC Motor/ 130 W

Voltage : 220-240 V

Extraction Mode : Yes

Lighting : LED

Power Level : 9

Filter less Design : Yes

Heat Auto Clean : Yes

Oil Collector : Yes

Touch Control & Motion Sensor: Yes

Auto Clean : Yes

Appliance Dimention : 90.0x43.2x49.0 cm

SAP Code : 943630100

Wall Hood- 75 cms - Alpha - 5IS68460

MRP : ₹ 38,000

DP : ₹ 24,700



Size : 75 cm ✨

Color : Metal + Glass Panel Black

Construction Type : Wall Hood

Total Connection Load : BLDC Motor/ 130 W

Voltage : 220-240 V

Extraction Mode : Yes

Lighting : LED

Power Level : 9

Filter less Design : Yes

Heat Auto Clean : Yes

Oil Collector : Yes

Touch Control & Motion Sensor: Yes

Auto Clean : Yes

Appliance Dimention : 75.0x43.2x49.0 cm

SAP Code : 943630200

Wall Hood- 60 cms - Alpha - 5IS69460

MRP : ₹ 36,000

DP : ₹ 23,400



Size : 60 cm



Color : Metal + Glass Panel Black

Construction Type : Wall Hood

Total Connection Load : BLDC Motor/ 130 W

Voltage : 220-240 V

Extraction Mode : Yes

Lighting : LED

Power Level : 9

Filter less Design : Yes

Heat Auto Clean : Yes

Oil Collector : Yes

Touch Control & Motion Sensor: Yes

Auto Clean : Yes

Appliance Dimention : 60.0x43.2x49.0 cm


Gas Hobs

SAP Code : 942811300


Neo Cook Pro 5B 90 Hob - 5GH96BB390

MRP : ₹ 71,990

DP : ₹ 46,794



Toughened Glass



Designer Full Brass Burner



Cast Iron pan Support



FFD

Size : 90 cm

Burners : 5B

Burner Type : Full Brass Burners, Black Coated

Burner Specification : 3.8 kW Triple Ring, 2.5 kW Mini Triple Ring, 2.5 kW Mini Triple Ring, 1.5 kW Dual Ring, 1.5 kW Dual Ring

Design : Trapezium type

Drip Tray Material : Enamel Coated

FFD : Yes, All Burners

Ignition : Auto

Glass : Toughened, 8 mm, Black Glass with cool grey 7C

Pan stand : Cast Iron, Rectangle, Matt Enamel

Drip Trey: Rectangle, Matt Enamel

Voltage : 220 - 240 V

LPG / PNG : LPG in Assembled product & PNG as accessories

Glass : 8 MM

Knob Type : Round Black

Leg : Yes

Prod Dim (LXWXH- mm): 900X520X130

Cut Out Dim (LXW- mm): 820X475. 4-R20 mm


Gas Hobs

SAP Code : 942811200

Built In Hob-4B 90 cms-Alpha-5GH96BB390

MRP : ₹ 69,990

DP : ₹ 45,494



Size : 90 cm

Burners : 4B

Burner Type : Full Brass Burners, Black Coated

Burner Specification : 3.8 kW Triple Ring, 2.5 kW Mini Triple Ring, 1.5 kW Dual Ring, 1.5 kW Dual Ring

Design : Trapezium type

Drip Tray Material : Enamel Coated

FFD : Yes, All Burners

Ignition : Auto

Glass : Toughened, 8 mm, Black Glass with cool grey 7C

Pan stand : Cast Iron, Rectangle, Matt Enamel

Drip Trey: Rectangle, Matt Enamel

Voltage : 220 - 240 V

LPG / PNG : LPG in Assembled product & PNG as accessories

Glass : 8 MM

Knob Type : Round Black


Leg : Yes

Prod Dim (LXWXH- mm): 900X520X130

Cut Out Dim (LXW- mm): 820X475. 4-R20 mm



Toughened Glass



Designer Full
Brass Burner



Cast Iron pan
Support



FFD


Gas Hobs

SAP Code : 942811100


Built In Hob-4B 80 cms-Alpha-5GH84BB390

MRP : ₹ 63,990

DP : ₹ 41,594



Toughened Glass



Designer Full
Brass Burner



Cast Iron pan
Support



FFD

Size : 80 cm

Burners : 4B

Burner Type : Full Brass Burners, Black Coated

Burner Specification : 2.5 kW Mini Triple Ring, 2.5 kW Mini Triple Ring, 1.5 kW Dual Ring, 1.5 kW Dual Ring

Design : Trapezium type

Drip Tray Material : Enamel Coated

FFD : Yes, All Burners

Ignition : Auto

Glass : Toughened, 8 mm, Black Glass with cool grey 7C

Pan stand : Cast Iron, Rectangle, Matt Enamel

Drip Trey: Rectangle, Matt Enamel

Voltage : 220 - 240 V

LPG / PNG : LPG in Assembled product & PNG as accessories

Glass : 8 MM

Knob Type : Round Black

Leg : Yes

Prod Dim (LXWXH- mm): 800X520X130

Cut Out Dim (LXW- mm): 685X475. 4-R20 mm

Gas Hobs

SAP Code : 927161900
5GHH65BB390



Size : 60 cm

Burners : 3B

Burner Type : Full Brass Burners, Black Coated

Burner Specification : 1.75 kW , 2.0 kW, 4.5 kW

Drip Tray Material : Enamel Coated

FFD : Yes, All Burners

Ignition : Auto

Glass : Toughened, 8 mm, Black Glass with cool grey 7C

Pan stand : Cast Iron, Rectangle

Drip Trey: Rectangle

Voltage : 220 - 240 V

LPG / PNG : LPG in Assembled product & PNG as accessories

Glass : Toughened

Knob Type : Round Black


Leg : Yes

Prod Dim (LXWXH- cm): 8.07 × 59.0 × 51.0

Cut Out Dim (LXW- cm): 56.0 × 49.0



Toughened Glass



Designer Full
Brass Burner



Cast Iron pan
Support



FFD

Gas Hobs

SAP Code : 927162000
5GH65BB490



Size : 60 cm

Burners : 4B

Burner Type : Full Brass Burners, Black Coated

Burner Specification : 1.00 kW , 1.75 kW, 2.0 kW, 4.5 kW

Drip Tray Material : Enamel Coated

FFD : Yes, All Burners

Ignition : Auto

Glass : Toughened, 8 mm, Black Glass with cool grey 7C

Pan stand : Cast Iron, Rectangle

Drip Tray: Rectangle

Voltage : 220 - 240 V

LPG / PNG : LPG in Assembled product & PNG as accessories

Glass : Toughened

Knob Type : Round Black


Leg : Yes

Prod Dim (LXWXH- cm): 8.1 × 59.0 × 51.0

Cut Out Dim (LXW- cm): 56.0× 49.0



Toughened Glass



Designer Full
Brass Burner



Cast Iron pan
Support



FFD

Project Model : Auto Clean Chimney & Hob

SAP Code : 943654200

Wall Hood- 60 cms - Neo -5IH66560

MRP : ₹ 28,900

DP : ₹ 18,844



Size : 60 cm

Color : Metal + Glass panel / Black

Voltage : 230 V

Lighting : LED

Power Level : 3

Filter less Design : Yes

Heat Auto Clean : Yes

Oil Collector : Metal

Touch Control & Motion Sensor: Yes

Appliance Dimention : 60.0x41.0x 49.5 cm

Warranty : 2 Yrs

SAP Code : 943654300

Wall Hood- 90 cms - Neo - 5IH69560

MRP : ₹ 30,900

DP : ₹ 20,144



Size : 90 cm

Color : Metal + Glass panel / Black

Voltage : 230 V

Lighting : LED

Power Level : 3

Filter less Design : Yes

Heat Auto Clean : Yes

Oil Collector : Metal

Touch Control & Motion Sensor: Yes

Appliance Dimention : 60.0x42.8x 49.5 cm


Warranty : 2 Yrs

SAP Code : 943654500

Hob- 60 cms - Neo - 5GH66BB490

MRP : ₹ 48,990

DP : ₹ 31,844



Size : 65 cm

Burners : 4B

Burner Type : Brass Burners, Aluminum Base

Burner Specification : 1.33 KW , 1.2 KW , 2X1.6 kW

Design : Trapezium type

FFD : No

Voltage & Frequency : 1.5 V DC Battery Operated

Glass : Toughened, 6 mm

Pan Stand : Cast Iron

LPG / PNG : Both

Glass : 6 mm

Knob Type : Metal

Prod Dim (LXWXH- mm): 650 X 520 X 70

Cut Out Dim (LXW- mm): 625x495


Warranty : 2 Yrs

SAP Code : 943654400

Hob- 60 cms - Neo - 5GH66BB490

MRP : ₹ 44,990

DP : ₹ 29,244



Size : 90 cm

Burners : 4B

Burner Type : Brass Burners, Aluminum Base

Burner Specification : 1.33 KW , 1.2 KW , 2X1.6 kW

Design : Trapezium type

FFD : No

Voltage & Frequency : 1.5 V DC Battery Operated

Glass : Toughened, 6 mm

Pan Stand : Cast iron

LPG / PNG : Both

Glass : 6 mm

Knob Type : Metal


Prod Dim (LXWXH- mm): 860 X 450 X 70

Cut Out Dim (LXW- mm): 840x430

Warranty : 2 Yrs

Island Hood

5IT99451



Design, comfort

- Black Glass/ Stainless steel
- For ceiling installation above kitchen islands
- Extraction mode and Circulation Mode
- Soft electronic control
- Touch Control
- 3 power levels
- Uniform, bright lighting with 2 × 1.5 W LED lamps
- 5 layers of aluminum filter

Dimensions H × W × D

- Appliance dimensions: 107.1 × 89.5 × 49.0 cm

SAP Code: 927161700

Refrigerator

5CB281SD0



Design	
Construction type	Installation
Height (in cm)	178
Output & consumption	
Energy consumption per year (in kWh)	173
Total useful capacity (in litres)	249
Noise level (in dB A) re 1 pW	39
Operating comfort & equipment	
Temperature control / display	Electronic / Digital
Interior lighting	LED
Refrigeration compartment	
Useful capacity (in litres)	179
Shelves made of safety glass	5 / 4 height-adjustable
Door shelves	3
Freshness system	Freshness box
Automatic defrost in refrigeration compartment	•

Freezer compartment	
Useful capacity (in litres)	70
Freezer drawers / freezer compartment	3 / –
Big Box	–
Freezing capacity (kg in 24 hours)	3,2
Storage time in case of malfunction (in hours)	10
Super freezing	•
No Frost / Low Frost	– / –

Technical data	
Energy efficiency class	D
Fixed door technology / sliding door technology	– / •
Door hinge	Right, changeable
Connected load	115W / 220-240 V
Fuse protection (in A)	0,75 A
Frequency (in Hz)	50 Hz
Plug type	Type F
Length of connection cable (in cm)	220 cm
Net weight (in KG)	55,7 kg
Gross weight (in KG)	58,0 kg
Dimensions of the packaged appliance (H x W x D)	183,4 x 58,4 x 57,7 cm
Appliance dimensions (H x W x D)	176,9 x 54,0 x 54,0 cm
Recess dimensions (H x W x D)	177,0-178,5 x 56,0 x 55,0 cm
EAN	4251003109344

SAP Code: 927212400

Refrigerator

5CR284FD0



Features, comfort

- Fully integrated installation
- Easy-to-clean, bright interior
- LED interior lighting in refrigerator compartment
- Electronic temperature control with precise digital reading

Refrigerator compartment

- Refrigerator: Useful capacity 182 l
- 4 shelves made of safety glass, 3 of which height-adjustable
- 5 full-width door shelves
- 0 °C boxes
- Fully automatic defrost inside the fridge

Freezer compartment -18 °C and lower

- Useful capacity 68 l
- 3 freezer drawers
- Freezing capacity: 7 kg in 24 hours
- Storage time in case of malfunction: 7 hours
- Super freezing
- NoFrost ✨

Technical data and dimensions H × W × D

- Door-on-door system
- Door hinged on right, changeable
- Appliance dimensions: 177.0 × 55.7 × 54.5 cm
- Recess dimensions: 177.6–178.0 × 56.0 × 54.5 cm

SAP Code: 927225900

Refrigerator

5CR294FD0



Design	
Construction type	Installation
Height (in cm)	193,5
Output & consumption	
Energy consumption per year (in kWh)	177
Total useful capacity (in litres)	280
Noise level (in dB A) re 1 pW	34
Operating comfort & equipment	
Temperature control / display	Electronic / Digital
Interior lighting	LED
Refrigeration compartment	
Useful capacity (in litres)	212
Shelves made of safety glass	5 / 4 height-adjustable
Door shelves	6
Freshness system	0 °C Boxes
Automatic defrost in refrigeration compartment	•

Freezer compartment	
Useful capacity (in litres)	68
Freezer drawers / freezer compartment	3 / –
Big Box	–
Freezing capacity (kg in 24 hours)	7
Storage time in case of malfunction (in hours)	7
Super freezing	•
No Frost / Low Frost	• / –
Technical data	
Energy efficiency class	D
Fixed door technology / sliding door technology	• / –
Door hinge	Right, changeable
Connected load	90W / 220-240 V
Fuse protection (in A)	10 A
Frequency (in Hz)	50 Hz
Plug type	Type F
Length of connection cable (in cm)	245 cm
Net weight (in KG)	68 kg
Gross weight (in KG)	70 kg
Dimensions of the packaged appliance (H x W x D)	200,0 x 58,0 x 60,8 cm
Appliance dimensions (H x W x D)	193,5 x 55,7 x 54,5 cm
Recess dimensions (H x W x D)	194,0-195,0 x 56,0 x 55,0 cm
EAN	4251003108903

SAP Code: 927233100

Refrigerator

5CR394FDO



Features, comfort

- Fully integrated installation
- Fully automatic defrost inside the fridge
- Easy-to-clean, bright interior
- LED interior lighting in refrigerator compartment
- Electronic temperature control with precise digital reading

Refrigerator compartment

- Refrigerator: Useful capacity 299 l
- 4 shelves made of safety glass, 3 of which height-adjustable
- 4 full-width door shelves
- Automatic defrosting

Freezer compartment -18 °C and lower

- Low Frost
- 3 transparent frozen food drawers
- Capacity 101 l
- Freezing capacity: 8.5 kg in 24 hours
- Storage time in case of malfunction: 26 hours

Technical data and dimensions H × W × D

- Door-on-door system
- Door hinged on right, changeable
- Appliance dimensions: **193.5 × 59.0 × 54.5 cm**
- Recess dimensions: 194.0–195.0 × 71.0 × 55.0 cm

SAP Code: 927261600

Undercounter

5CP224FD0



SAP Code: 927231100

Features, comfort

- Undercounter
- Easy-to-clean, bright interior
- LED interior lighting in refrigerator compartment
- Electronic temperature control with precise digital reading

Refrigeration compartment

- Refrigerator: Useful capacity 108 l
- 3 shelves made of safety glass,
- 2 of which height-adjustable
- 3 full-width door shelves
- 0 °C boxes
- Fully automatic defrost inside the fridge

Freezer compartment -18 °C and lower

- Useful capacity 18 l
- 1 freezer compartment
- Freezing capacity: 3.0 kg in 24 hours
- Storage time in case of malfunction: 10 hours

Technical data and dimensions (H × W × D)

- Door-on-door system
- Door hinged on right, changeable
- Appliance dimensions: 81.9 × 59.7 × 54.5 cm
- Recess dimensions: 82.0–89.0 × 60.0 × 55.0 cm

Wine Chiller – Built In

5WK630FEO



SAP Code: 927228400

Equipment, comfort

- Black glass
- Handle bar
- Telescopic pull-outs
- Damped hinges
- Digital Display in white
- Touch Control
- LED - Interior lighting
- 3 shelves made of solid wood
- Alarm with open door
- Audible temperature alarm
- UV protection
- Anti-vibration system

Cooling section


- 2 temperature zones for sparkling, white, rosé and red wines
- Capacity of 23 bottles
- 5°–20 °C / 5°–20 °C

Technical data and dimensions (H x W x D)

- Fixed door technology
- Device dimensions: 59.0 x 59.5 x 56.1 cm
- Niche dimensions: 59.0 x 56.0 x 55.0 cm

Wine Chiller - Undercounter

5WK830FF0



Features, comfort

- Black glass
- Handle
- Telescopic slides
- Cushioned hinges
- Digital display in white
- Touch control
- LED interior lighting
- 3 shelves made of solid wood
- Door open alarm
- Acoustic temperature alarm
- UV protection
- Anti-vibration system

Cooling section

- 2 temperature zones for sparkling, white, rosé and red wines
- Capacity: 43 bottles
- 5°–20 °C / 5°–20 °C

Technical data and dimensions H × W × D

- Door-on-door system
- Appliance dimensions: 82.0 × 59.5 × 56.0 cm
- Recess dimensions: 82.0–87.0 × 60.0 × 55.5 cm

SAP Code: 927225500

Wine Chiller – Free Standing

5WK490SL



SAP Code: 927225600

Features, comfort

- Free standing wine cooler
- Black body & stainless steel door frame
- Touch Control
- White LED lighting
- 4 solid wood shelves
- 49-bottle capacity
- Upper part: 28 bottles (75 cl)
- Lower part: 21 bottles (75 cl)
- 2 temperature zones for sparkling, white, rosé and red wines
- Adjustable temperature ranges of use: Upper part:/ Lower part: 5°C – 20°C
- Alarm when door is open
- Optical and acoustic temperature alarm
- Electronic temperature control with precise digital reading
- UV protection
- 2-layers tempered glass with lock
- Anti-vibration system
- 2 adjustable feet

Technical data and dimensions H × W × D

- Flat hinge
- Door hinged on right
- Appliance dimensions: 84.5 × 48.0 × 57.5 cm

Refrigerator

5CD891SCO



Features, comfort

- Colour : Dark Steel
- Free-standing cross door refrigerator/freezer combination
- Separate temperature regulation for refrigerator and freezer compartments
- Fully automatic defrost inside the fridge
- Easy-to-clean, bright interior
- LED interior lighting in refrigerator compartment
- Electronic temperature control with LED reading
- Multi-temperature zone
- XXL capacity – space for entire baking trays and other bulky items

Refrigerator compartment

- Refrigerator: Total useful capacity 343 l (multi-temperature zone)
- 3 shelves made of safety glass, 2 of which height-adjustable
- Transparent storage drawers with 0° degree zone
- 6 full-width door shelves
- Egg tray

Freezer compartment -18 °C and lower

- 6 frozen produce drawers
- Total useful capacity 179 l (multi-temperature zone)
- No Frost
- Freezing capacity: 13 kg in 24 hours
- Storage time in case of malfunction: 11 hours
- Super freezing with automatic freeze

Dimensions H × W × D

- Appliance dimensions: 190.5 × 91.0 × 69.0 cm

SAP Code: 925098600



reddot winner 2024

Refrigerator

5SB891SE0



Features, comfort

- Free-standing side-by-side refrigeration / freezer combination
- Stainless steel look
- Rod handle
- Separate temperature regulation for refrigeration and freezer chamber
- Fully automatic defrost inside the fridge
- Easy-to-clean, bright interior
- LED interior lighting in refrigeration compartment
- Electronic temperature control with LED reading
- Water and ice dispenser + ice crusher
- External fixed water supply including 5-metre connecting hose and 3 / 4" water connection adapter

Refrigeration compartment

- Refrigeration: Capacity 344 l
- 4 shelves made of safety glass, 2 of which are height-adjustable
- 2 transparent Vario trays for fruit and vegetables
- 5 full-width door shelves
- Egg tray

Freezer compartment -18 °C and lower

- 4 shelves made of safety glass, 1 height-adjustable
- 2 frozen produce drawers
- 1 full-width door shelf
- Capacity 169 l
- NoFrost
- Freezing capacity: 12 kg in 24 hours
- Storage time in case of malfunction: 6 hours
- Super freezing with automatic freeze
- Automatic ice cube maker

Dimensions (H × W × D)

- Appliance dimensions: 177.0 × 90.0 × 66.0 cm

SAP Code: 5SB891SE0

Microwave Oven

5M60M8690GB



BUILT-IN MICROWAVE WITH HOT AIR

SAP Code: 925099500

Oven type, heating type

- Built-in microwave with 3 heating types:
 - Hot air
 - Circulation grill
 - Defrost function
- Microwave with 5 power levels: 100 W, 300 W, 500 W, 700 W, 900 W
- Combined operation
- Quick cooking function
- Automatic programmes

Dimensions H × W × D

- Appliance dimensions: 38.2 × 59.5 × 46.6 cm
- Installation dimensions: 38.0 × 56.0 × 55.0 cm
- Panel height: 81 mm

Design, comfort

- Color: Black/ Dark Steel
- Control panel in Dark Steel design
- Touch Control
- Smart Slider
- Digital display in white
- Full glass inner door
- Metal handle in Dark Steel with logo
- Cooking chamber volume 34 l
- Enamelled cooking chamber
- Removable oven door for easy cleaning
- LED oven lighting
- Safety switch-off
- Child lock

Microwave Oven

5MG17190IN



BUILT IN MICROWAVE OVEN WITH GRILL

SAP Code: 927213300

Output, consumption

- Voltage: 230-240 V
- Connected load: 2.3 kW
- 1000 W Microwave
- Grill Power: 1100 W
- Hot air Power: 2300 W

Color : Black

Design, comfort

- Built-in appliance for a 60 cm wide tall cupboard
- Heating types: microwave, grill, hot air, combination cooking
- Touch control
- 5 output levels: 1000 W, 800 W, 500 W, 300 W, 100 W
- 10 automatic programmes
- Defrost by weight/time
- Red LED Digital display
- 34 l stainless steel cavity
- 31.5 cm glass turntable
- Child safety lock
- Push open door

Dimension H × W × D

- Appliance dimensions: 38.8 x 59.5 x 47.0 cm
- Installation dimensions: 38.0 x 56.0 x 55.0 cm

Microwave Oven

5MA27500IN



BUILT IN MICROWAVE OVEN WITH GRILL

SAP Code: 927213200

Output, consumption

- Voltage: 230-240 V
- Connected load: 2.3 kW
- 1000 W Microwave
- Grill Power: 1100 W
- Hot air Power: 2300 W

Color ✨ Stainless Steel/ Black

Design, comfort

- Built-in microwave, stainless steel
- Heating types: microwave, grill, hot air, combination cooking
- Knob and button control
- 5 output levels: 1000 W, 800 W, 500 W, 300 W, 100 W
- 10 automatic programmes
- Defrost by weight/time
- White LED digital display
- 34 l stainless steel cavity ✨
- 31.5 cm glass turntable
- Child safety lock
- Push open door

Dimension H × W × D

- Appliance dimensions: 38.8 x 59.5 x 47.0 cm
- Installation dimensions: 38.0 x 56.0 x 55.0 cm

Microwave Oven

5MG16199IN



BUILT IN MICROWAVE OVEN WITH GRILL

SAP Code: 927113100

Output, consumption

- Voltage: 220 – 230 V
- Connected load: 2.45 kW
- 900 W Microwave
- Grill output: 1000 W

Color : Black ✨

Dimension H × W × D

- Installation dimensions:
38.0 x 56.0 x 55.0 cm
- Appliance dimensions:
38.2 x 59.4 x 40.3 cm

Design, comfort

- Built-in appliance for a 60 cm wide tall cupboard
- Heating types: microwave, grill, ✨ combined microwave and grill
- Control panel made of glass
- Easy-to-use electronics
- 5 output levels: 900 W, 600 W, 360 W, 180 W, 90 W
- Programmes mode for 8 programmes
- Automatic weight adjustment for defrost programmes
- Digital display
- Digital clock with day display
- 25 l stainless steel cooking chamberl ✨
- Cooking chamber lighting
- 31.5 cm glass turntable
- Child protection
- Door hinged on the left

Oven

5B36N0250IN



BUILT IN OVEN

SAP Code: 927126800

Oven type, heating type

Built-in electric oven with 8 heating types:

1. Top/bottom heat
2. Bottom heat
3. Hot Air Eco
4. Hot air
5. Hot air grill
6. Vario large area grill
7. Vario small area grill
8. Defrost function

Dimensions H × W × D

- Appliance dimensions:
59.5 × 59.5 × 57.5 cm
- Installation dimensions:
59.0 × 56.0 × 55.0 cm
- Panel height: 96 mm

Color : Stainless Steel

Design, comfort

- Fully retractable control knob
- Digital display
- Electronic clock
- Quick heating
- Temperature recommendation
- Full glass inner door
- Cooking chamber volume 70 l
- Smooth oven walls with suspended grates
- Enamelled cooking chamber
- Removable oven door for easy cleaning
- Oven lighting
- Safety switch-off
- Cooling fan
- Large oven interior with 1-way telescopic extension

Oven

5B20N0290IN



BUILT IN OVEN

SAP Code: 927212000

Oven type, heating type

Built-in electric oven with 5 heating types:

- Hot Air
- Grill
- Grill with fan
- Defrosting
- ECO

Dimensions H × W × D

Appliance dimensions: 59.5 × 59.5 × 57.5 cm

Installation dimensions: 60.0 × 57.0 × 56.0 cm

Panel height: 120 mm

Color : Black/ Stainless Steel

Design, comfort

- Temperature regulation from 50 °C – 250 °C
- Full glass inner door
- Low window temperature
- Cooking chamber volume 70 l
- Smooth oven walls with suspended grates
- Metal handle
- Enamelled cooking chamber
- Removable oven door for easy cleaning
- Oven lighting
- Cooling fan
- Control lamp for operation condition

Oven

5B30N0250IN



BUILT IN OVEN

SAP Code: 927224200

Oven type, heating type

Built-in electric oven with 8 heating types:

1. Top / bottom heat
2. Bottom heat
3. Hot Air Eco
4. Hot air
5. Hot air grill
6. Vario large area grill
7. Vario small area grill
8. Defrost function

Dimensions H × W × D

- Appliance dimensions: 59.5 × 59.5 × 57.5 cm
- Installation dimensions: 59.0 × 56.0 × 55.0 cm
- Panel height: 96 mm

Color : Black

Design, comfort

- Fully retractable control knob
- Digital display
- Electronic clock
- Quick heating
- Temperature recommendation
- Full glass inner door
- Metal handle
- Cooking chamber volume 70 l
- Flat oven walls with oven racks
- Enamelled cooking chamber
- Removable oven door for easy cleaning
- Oven lighting
- Safety switch-off
- Cooling fan
- Large oven interior with 1-way telescopic extension

Oven

5B50N8690GB



BUILT IN OVEN WITH
AIRFRY

SAP Code: 927221400

Oven type, heating type

Built-in electric oven with 12 heating types:

1. Top / bottom heat
2. Bottom heat
3. Hot Air Eco
4. Hot air
5. Circulation
6. Circulation grill
7. Vario large area grill
8. Vario small area grill
9. Pizza level
10. Defrost function
11. Dough process
12. Air Fry function

Color : Black/ Dark Steel

Dimensions H × W × D

- Appliance dimensions: 59.5 × 59.5 × 56.5 cm
- Installation dimensions: 60.0 × 56.0 × 55.0 cm
- Panel height: 96 mm


Design, comfort



- Control panel in Dark Steel design
- Touch Control
- Smart Slider
- Digital display in white
- Quick heating
- Temperature recommendation
- Automatic programmes
- Electronic temperature regulation from 30 °C – 250 °C
- Full glass inner door
- Soft-moving door
- Metal handle in Dark Steel with logo
- Cooking chamber volume 72 l
- Flat oven walls with oven racks
- Enamelled cooking chamber
- Removable oven door for easy cleaning
- Oven lighting
- Safety switch-off
- Child protection, door lock in pyrolysis mode
- Cooling fan
- Large oven interior with 1-way telescopic extension

Oven

5B60M8690GB



BUILT IN OVEN WITH MICROWAVE

SAP Code: 927211500

Oven type, heating type

- Built-in electric oven with 12 heating types:
 1. Top / bottom heat
 2. Bottom heat
 3. Hot air
 4. Circulation
 5. Circulation grill
 6. Vario large area grill
 7. Vario small area grill
 8. Pizza level
 9. Defrost function
 10. Dough process
 11. Microwave with 5 power levels:
80 W, 240 W, 400 W, 560 W, 800 W
 12. Combined operation ✨

Color : Black/ Dark Steel

Dimensions H × W × D

- Appliance dimensions: 59.5 × 59.5 × 56.5 cm
- Installation dimensions: 60.0 × 56.0 × 55.0 cm
- Panel height: 96 mm

Design, comfort

- Control panel in the Dark Steel design
- Touch Control
- Smart Slider
- Digital display in white
- Quick heating
- Temperature recommendation
- 16 automatic programmes
- Electronic temperature regulation from 30 °C – 250 °C
- Full glass inner door
- Dark Steel metal handle with logo
- Cooking chamber volume 72 l
- Flat oven walls with oven racks
- Enameled cooking chamber
- Removable oven door for easy cleaning
- LED oven lighting
- Safety switch-off
- Child protection
- Cooling fan

Oven

5B90S8990GB



BUILT IN OVEN WITH STEAM ASSIST

SAP Code: 927212300

Oven type, heating type

Built-in electric oven with 12 heating types:

1. Top / bottom heat
2. Bottom heat
3. Hot Air Eco
4. Hot air
5. Circulation
6. Circulation grill
7. Vario large area grill
8. Vario small area grill
9. Pizza level
10. Defrost function
11. Dough process
12. Steam support ✨

Color : Black/ Dark Steel

Dimensions H × W × D

- Appliance dimensions: 59.5 × 59.5 × 56.5 cm
- Installation dimensions: 60.0 × 56.0 × 55.0 cm
- Panel height: 96 mm

Design, comfort

- Control panel in the Dark Steel design
- Touch Control
- Smart Slider
- Digital display in white
- Push & pull water tank
- Temperature sensor
- Quick heating
- Temperature recommendation
- 13 automatic programmes
- Electronic temp regulation from 30 °C – 250 °C
- Full glass inner door
- Soft-moving door
- Dark Steel metal handle with logo
- Cooking chamber volume 72 l
- Flat oven walls with oven racks
- Enamelled cooking chamber
- Removable oven door for easy cleaning
- LED oven lighting
- Safety switch-off
- Child protection
- Cooling fan
- Large oven interior with 1-way telescopic extension

Oven

5B50P8690GB



BUILT IN OVEN WITH PYROLYTIC

SAP Code: 927212100



reddot winner 2024

Oven type, heating type

Built-in electric oven with 12 heating types:

1. Top / bottom heat
2. Bottom heat
3. Hot Air Eco
4. Hot air
5. Circulation
6. Circulation grill
7. Vario large area grill
8. Vario small area grill
9. Pizza level
10. Defrost function
11. Dough process
12. Air Fry function ✨

Color : Black/ Dark Steel

Dimensions H × W × D


- Appliance dimensions:
59.5 × 59.5 × 56.5 cm
- Installation dimensions:
60.0 × 56.0 × 55.0 cm
- Panel height: 96 mm

Design, comfort

- Control panel in Dark Steel design
- Touch Control
- Smart Slider
- Digital display in white
- Quick heating
- Temperature recommendation
- Automatic programmes
- Electronic temp regulation from 30 °C – 250 °C
- Pyrolytic self-cleaning ✨
- Full glass inner door
- Soft-moving door
- Metal handle in Dark Steel with logo
- Cooking chamber volume 72 l
- Flat oven walls with oven racks
- Enamelled cooking chamber
- Removable oven door for easy cleaning
- Oven lighting
- Safety switch-off
- Child protection, door lock in pyrolysis mode
- Cooling fan
- Large oven interior with 1-way telescopic extension

Inductions

5II94291



INDUCTION HOB

SAP Code: 927211700

90 cm



Output, consumption

- Voltage: 220 – 240 V
- Total connected load: 7.4 kW
- 5 induction cooking zones with booster:
 - 2 cooking zones, combi induction Ø 20.0 × 21.0 cm, 2.3 kW (3.0 kW)
 - 2 cooking zones, combi induction Ø 20.0 × 21.0 cm, 2.3 kW (3.0 kW)
 - 1 cooking zone Ø 21.5 cm, 2.3 kW (3.0 kW)

Dimensions H × W × D

Appliance dimensions: 5.2 × 88.0 × 52.0 cm


Installation dimensions: 5.2 × 81.0 × 49.0 cm

Design, comfort

- Frameless
- Multi Control
- Smart Slider
- Touch Control
- 2 × combi induction
- Flexible linking – Any two cooking zones can be combined into one cooking zone
- Boost function for all induction cooking zones
- Grill function
- Electronic control in 10 power levels
- Digital display of cooking levels in white
- Residual heat display for each cooking zone
- Pot detection
- Child protection
- Timer – simultaneously adjustable for each cooking zone
- Countdown function
- Quick start function
- Recall function – Repeat the last settings
- Automatic safety switch-off
- Overflow detection
- Power management
- Flush-mounted installation possible
- Quick assembly system

Inductions

5IE64253



INDUCTION HOB

SAP Code: 925099000

60 cm



Output, consumption

Voltage: 220 – 240 V

Total connected load: 7.4 kW

4 induction cooking zones with booster:

- 2 cooking zones, combi induction Ø 21.0 × 19.0 cm, 2.1 kW (3.0 kW)
- 1 cooking zone Ø 17.5 cm, 1.4 kW (1.85 kW)
- 1 cooking zone Ø 21.5 cm, 2.3 kW (3.0 kW)

Dimensions H × W × D

Appliance dimensions: 5.2 × 59.0 × 52.0 cm


Installation dimensions: 5.2 × 56.0 × 49.0 cm

Design, comfort

- Frameless
- Multi Control
- Smart Slider
- Touch Control
- Boost function for all induction cooking zones
- Electronic control in 10 power levels
- Digital display of cooking levels
- Residual heat display for each cooking zone
- Pot detection
- Child protection
- Timer – simultaneously adjustable for each cooking zone
- Countdown function
- Quick start function
- Recall function – Repeat the last settings
- Automatic safety switch-off
- Overflow detection
- Power management
- Flush-mounted installation possible
- Quick assembly system

Inductions

5IZ34291



INDUCTION HOB

SAP Code: 927211900

30 cm



Output, consumption

- Voltage: 220 – 240 V
- Total connected load: 3.7 kW
- 2 induction cooking zones with booster:
- 2 cooking zones Ø 17.5 cm, 1.4 kW (2.1 kW)

Dimensions H × W × D

Appliance dimensions: 5.2 × 30.0 × 52.0 cm


Installation dimensions: 5.2 × 27.0 × 49.0 cm

Design, comfort

- Frameless
- Smart Slider
- Touch Control
- Boost function for all induction cooking zones
- Electronic control in 10 power levels
- Digital display of cooking levels
- Residual heat display for each cooking zone
- Pot detection
- Child lock
- Timer – simultaneously adjustable for each cooking zone
- Countdown function
- Quick start function
- Recall function – Repeat the last settings
- Automatic safety switch-off
- Overflow detection
- Power management
- Flush-mounted installation possible
- Quick assembly system

Inductions with Extractors

5IX94291



INDUCTION WITH EXTRACTOR – 90 CM

SAP Code: 927224300

90 cm



Output, consumption

Hob

Voltage: 220 – 240 V

Total connected load: 7.4 kW

4 induction cooking zones with booster:

4 cooking zones Ø 19.0 × 21.0 cm, 2.1 kW (3.0 kW)

Extractor fan

Voltage: 220 – 240 V

Total connected load: 165 W

Energy efficiency class: A+++

Average power consumption: 30.8 kWh / year

Fan efficiency class: A

Grease filter efficiency class: B

Noise min. / max. intensive level / normal level:

Min. 45 dB(A) Max. 65 dB(A) Max. 70 dB(A)

Fan output max. Normal level / Intensive level*:

In extraction mode 576 m³ / h / 734 m³ / h

In circulation mode 450 m³ / h / 560 m³ / h

Dimensions H × W × D

Appliance dimensions: 82.7 – 98.2 × 90 × 53 cm


Installation dimensions: 5.8 × 86.2 × 49.5 cm

Planning information

- Air outlet / exhaust air duct to the left
- It is not possible to plan in dishwashers, underframe coolers, base drawers etc. in the area of the exhaust air duct
- An air outlet kit on the right is required for left-sided planning of dishwashers, underframe coolers, base drawers or other such items
- Min. cabinet width 900 mm
- Min. worktop depth 600 mm (correspondingly deeper when planning in niche panelling)
- Worktop depth 615 mm (for flush-mounted planning)
- Base height min. 100 mm

Inductions

51186250



INDUCTION HOB

SAP Code: 927231300



reddot winner 2024

80 cm



Output, consumption

- Voltage: 220 – 240 V
- Total connected load: 11.1 kW
- 6 induction cooking zones with double booster:
- 6 cooking zones Ø 22.0 × 18.0 cm, 2.1 kW (2.6 kW / 3.7 kW)

Dimensions H × W × D


- Appliance dimensions: 4.6 × 78.0 × 52.0 cm
- Installation dimensions: 4.6 × 75.0 × 49.0 cm

Design, comfort

- Frameless
- Multi Control
- Smart Slider
- Touch Control
- 3 x combi induction
- Flexible linking – two cooking zones can be combined into one cooking zone
- Double boost function for all induction cooking zones
- Toggle function with fixed temperatures (42 °C, 70 °C and 94 °C)
- Cooking Chef mode
- Grill function
- Electronic control in 9 + 2 power levels
- Digital display of cooking levels in white
- Residual heat display for each cooking zone
- Permanent pot detection (across all zones)
- Child lock
- Timer – can be set simultaneously for each cooking zone
- Countdown function
- Quick start function
- Recall function – to repeat the last settings
- Automatic safety switch-off
- Overflow detection
- Power management
- Flush-mounted installation possible
- Quick assembly system

Inductions with Extractors

5IX94291



INDUCTION WITH EXTRACTOR – 90 CM

SAP Code: 927224300

90 cm



Output, consumption

Hob

- Voltage: 220 – 240 V
- Total connected load: 7.4 kW
- 4 induction cooking zones with booster:
- 4 cooking zones Ø 19.0 × 21.0 cm, 2.1 kW (3.0 kW)

Extractor fan

- Voltage: 220 – 240 V
- Total connected load: 165 W
- Energy efficiency class: A+++
- Average power consumption: 30.8 kWh / year
- Fan efficiency class: A
- Grease filter efficiency class: B
- Noise min. / max. intensive level / normal level:
 - Min. 45 dB(A) Max. 65 dB(A) Max. 70 dB(A)
- Fan output max. Normal level / Intensive level*:
 - In extraction mode 576 m³ / h / 734 m³ / h
 - In circulation mode 450 m³ / h / 560 m³ / h

Dimensions H × W × D


- Appliance dimensions: 82.7 – 98.2 × 90 × 53 cm
- Installation dimensions: 5.8 × 86.2 × 49.5 cm

Planning information

- Air outlet / exhaust air duct to the left
- It is not possible to plan in dishwashers, underframe coolers, base drawers etc. in the area of the exhaust air duct
- An air outlet kit on the right is required for left-sided planning of dishwashers, underframe coolers, base drawers or other such items
- Min. cabinet width 900 mm
- Min. worktop depth 600 mm (correspondingly deeper when planning in niche panelling)
- Worktop depth 615 mm (for flush-mounted planning)
- Base height min. 100 mm

Inductions with Extractors

5IX94291 (Contd.)



INDUCTION WITH EXTRACTOR – 90 CM

SAP Code: 927224300

90 cm

Design, comfort

Hob

- Frameless
- Touch Control
- 2 × combi induction
- Flexible linking – Any two cooking zones can be combined into one cooking zone
- Boost function for all induction cooking zones
- Electronic control in 10 power levels
- Automatic safety switch-off
- Digital display of cooking levels
- Residual heat display for each cooking zone
- Pot detection
- Child lock
- Timer – simultaneously adjustable for each cooking zone
- Countdown function
- Power management
- Flush-mounted installation possible


Design, comfort

Extractor fan

- Glass ceramic, black
- Suitable for installation in a kitchenette or kitchen island
- Optional extraction or circulation mode (carbon filter required for circulation mode)
- Electronic opening of the extractor fan
- 6-level fan output controllable via Touch Control
- 5 power levels + 1 intensive level
- Intensive level with automatic reset for extraction mode
- Automatic, three-level blower overrun of 5 / 10 and 20 minutes with LED display
- Metal grease filter and carbon filter saturation indication by LED control lamp
- To clean / evacuate the metal grease filter and the water collection tank, the appliance automatically blocks after 40 hours of operation
- Automatic overrun for circulation mode
- Water collection tank: 0.75 litre capacity
- Powerful and quiet blower

Inductions with Extractors

5IX80290



INDUCTION WITH EXTRACTOR -80 CM

SAP Code: 927224500



red dot winner 2023

80 cm



Output, consumption

Hob

- Voltage: 220 – 240 V
- Total connected load: 7,4 kW
- 4 induction cooking zones with booster:
- 4 cooking zones 19,0 cm × 21,0 cm, 2,1 kW (3,7 kW)

Extractor fan

- Voltage: 220 – 240 V
- Total connected load: 7400 W
- Energy efficiency class A
- Average power consumption:: 38,8 kWh/year
- Fan efficiency class: A
- Grease filter efficiency class: B
- Noise max. Normal level ;
- Max. 69 dB(A)
- Fan output max. Normal level / Intensive level*:
- In extraction mode 484 m³/h / 553 m³/h
- In circulation mode 387 m³/h / 442 m³/h

Dimensions H × W × D


- Appliance dimensions: 20.1 × 78.0 × 52.0 cm
- Installation dimensions: 19.7 × 75.0 × 50.0 cm

Planning information:

- The fan motor is integrated directly into the hob
- Naber Compair Flow 150 air discharge, allowing for freedom in planning airflow
- Airflow can be routed in any direction
- Dishwashers, under-counter refrigerators, drawers etc. cannot be planned in the area of the exhaust air duct
- Min. cabinet width 800 mm (5IX 80290)
- Min. cabinet width 600 mm (5IX 60290)
- Min. worktop depth 600 mm (correspondingly deeper when planning in niche panelling)
- Worktop depth 600 mm (for flush-mounted planning)
- Base height min. 100 mm (depending on the duct system used)

Inductions with Extractors

5IX80290 (Contd.)



INDUCTION WITH EXTRACTOR -80 CM

SAP Code: 927224500



reddot winner 2023

80 cm



Design, comfort

Hob

- Frameless
- Multi Control
- Smart Slider
- Touch Control
- 2 × combi induction
- Flexible linking – Any two cooking zones can be combined into one cooking zone
- Boost function for all induction cooking zones
- Grill function
- Cooking Chef Mode
- Electronic control in 11 power levels
- Digital display of cooking levels in red
- Residual heat display for each cooking zone
- Pot detection
- Child protection
- Timer – simultaneously adjustable for each cooking zone
- Countdown function
- Quick start function
- Recall function – Repeat the last settings
- Automatic safety switch-off
- Overflow detection
- Power management
- Flush-mounted installation possible
- Quick assembly system


Design, comfort

Extractor fan

- With fan motor integrated into the hob
- Suitable for installation in a kitchenette or kitchen island
- Optional extraction or circulation mode (carbon filter required for circulation mode)
- 10-level fan output controllable via Touch Control
- 9 power levels + 1 intensive level
- Intensive level with automatic reset for extraction mode
- Automatic blower overrun
- Metal grease filter and carbon filter saturation indication by LED control lamp
- The device automatically blocks after 30 hours of operation for filter cleaning
- Powerful and quiet blower
- The ventilation system is activated automatically when a cooking zone is in use

Inductions with Extractors

5IX60290



INDUCTION WITH EXTRACTOR – 60 CM

SAP Code: 927224400

60 cm



5IX60290

Stand-alone induction hob with build in fan

Power / Consumption

- Voltage: 220 - 240 V
- Total connected load: 7,4 kW
- 4 Induction cooking zone with Booster:
- 2 cooking zones Ø 17,5 cm with 1,4 kW (2,1 kW)
- 2 cooking zones Ø 16,0 cm with 1,4 kW (1,85 kW)
- Energy efficiency class: B
- Grease filter efficiency class: B

Equipment / Comfort

- Frameless
- Boost function for all induction cooking zones
- Startup-Boost
- Smart Slider
- Touch Control
- 11 power levels
- Simultaneous timers for each zone
- Egg timer
- Child lock
- Breack
- Recall
- Keep warm function (-70°C)
- Demo-Mode
- Digital display (red)
- Residual heat indication for each cooking zone
- Überlauferkennung
- Overflow detection
- Quick Start-Function
- Pot detection
- Automatic switching on of the ventilation system when a cooking zone is used

Planning information

- Suitable for exhaust and recirculation installation
- The first relevant 90° bend is included with the fan
- Compatible with flat duct system Naber Compair Flow 150 or comparable systems
- Min. cabinet width 600 mm
- Worktop depth min. 600 mm (if niche panelling is planned, correspondingly deeper)
- niche panelling correspondingly deeper)
- Plinth height min. 100 mm (depending on the duct system used)

Dimensions

- Appliances dimensions: (H/W/D) 201 x 590 x 520 mm
- Installation dimensions (H/W/D) 197 x 560 x 500 mm

Features

Device type: induction hob
Energy source: electric
Number of cooking zones that can be used simultaneously: 4
Cooking zones with Booster: 4
Wide of the appliances (mm): 590
Net weight (kg): 22,7
Gross weight (kg): 24,2
Residual heat display: Yes
Position of the control system: Front
Touch control / Slider
LED Display
Colour: black
Approbationscertifikate: CE / UKCA
Cooking zones with Booster: 4
Grease filter efficiency class: B

LüfterleistungAbluftleistung:

9 power levels + 1 Intensive level
Automatic fan run-on
Saturation indicator for grease and charcoal filters
Exhaust cap.: max. 424 m³/h, int. 441 m³/h
Recirculation cap.: max. 339 m³/h, int. 353 m³/h
Noise values
Normal level: min. 34 dB(A) max. 69 dB(A) Intensive level: 72 dB(A) Energy efficiency class: B

Consumption and connection values:

Total connected load (W): 7400
Voltage (V): 220-240
Frequency (Hz): 50; 60
Colour: black
Energy source: electric
Approbationscertifikate: CE / UKCA
Plug: -
Number of cooking zones that can be used simultaneously: 4
Appliances dimensions: (mm): 201 x 590 x 520
Installation dimensions (mm): 197 x 560 x 500
Packed dimensions (cm): 100 x 76 x 27
Net weight: 22,7 kg
Gross weight: 24,2 kg

Dishwashers

5VF421N



BUILT IN DISHWASHER, FULLY
INTEGRATED



SAP Code: 927231500

Capacity: 14 standard place settings

Features, comfort

- 8 programs: Auto, Intensive, Heavy, ECO, Glass, 90 min, Rapid, Soak
- Type of control: Electronic Control
- Type of display: LED light
- Power of heat element (230 V): 1.800 W
- Timer pre-setting 1 – 24 h
- Push button functions: Power, Program, Delay, Extra drying
- Functions of Indicator: Rinse Aid, Program end, Delay time / remaining time, program, Extra drying
- Type of heating element: Hidden
- Filter type: Main filter / Coarse filter / Fine filter
- Filter material: Plastic + stainless steel
- Tub material: Stainless steel
- Aquastop
- Cutlery drawer

Dimensions H × W × D

- Appliance dimensions: 81.5 × 59.8 × 55.0 cm
- Recess dimensions: 81.5 × 59.8 × 55.0 cm

Dishwashers

5VI311IN



BUILT IN DISHWASHER, SEMI-
INTEGRATED



SAP Code: 927231600

Capacity: 14 standard place settings

Features, comfort

- 6 programs: Intensive, Heavy, Eco, Glass, 90 min., Rapid
- Type of control: Electronic Control
- Type of display: light
- Power of heat element (230 V): 1,800 W
- Timer pre-setting 3h / 6h / 9h
- Push button functions: On / Off Button, Program Button, Delay Button, Half load, start / pause
- Functions of Indicator: Rinse Aid, end of the program, Delay time, Half load functions, program, on / off
- Type of heating element: Hidden
- Filter type: Main filter / Coarse filter / Fine filter
- Filter material: Plastic + stainless steel
- Tub material: Stainless steel
- Aquastop
- Cutlery basket in lower basket

Dimensions H × W × D

- Appliance dimensions: 81.5 × 59.8 × 57.0 cm
- Recess dimensions: 81.5 × 60.0 × 57.0 cm

Dishwashers

5VS401IN



FREE STANDING DISHWASHER,



SAP Code: 927210400

Capacity: 12 standard place settings

Features, Comfort

- 6 programs: Universal 55 °C, Intensive 65 °C, Glass 50 °C, Eco 45 °C, 90Min 60 °C, Soak
- Type of control: Electronic Control
- Type of display: light
- Power of heat element (230 V): 1,800 W
- Push button functions: On / Off Button, Program Button, Half load, start / pause
- Audible programme end signal
- Multiple water protection
- Functions of Indicator: Rinse Aid, Half load functions, program, on / off
- Type of heating element: Hidden
- Filter type: 3-fold wave filter system
- Filter material: Plastic + stainless steel
- Tub material: Stainless steel
- Cup tray in upper basket
- Folding spine rows in the lower basket
- Adjustable unloaded system upper basket
- Cutlery basket in lower basket

Dimension H × W × D

- Appliance dimensions: 84.5 × 59.8 × 60.0 cm

Dryer & Warmer Drawer

5TF6X910



TUMBLE DRYER, FREE STANDING

SAP Code: 925098900

Output, consumption

- Drying capacity: 9 kg

Features

- 16 programs: Cotton Extra Dry, Cotton Cupboard Dry, Cotton Iron Dry, Easy Care Cupboard Dry, Easy Care, Iron Dry, Delicates, Mix, Baby, Down, 200 min., 120 min., 20 min., Refresh, Express 34', Shirts 20', Sport, Wool Refresh
- Gentle-action drum
- Design, comfort
- Digital display in white
- Optical operating display
- Remaining running time display
- Start time preselection 1–24 (in hours)
- Programme progress display

Dimensions H × W × D

- Appliance dimensions: 84.5 × 59.6 × 60.9 cm

Dryer & Warmer Drawer

5WS16400



BUILT IN WARMER DRAWER

SAP Code: 927112500

Oven type, heating type

- Heating by fan heater
- Temperature regulation in 3 levels: from 30 °C – 80 °C
- 20.5 l interior volume
- Rotary switch on inside
- Design, comfort
- Black glass front
- Opens without handles by push & pull
- Telescopic full extension
- Anti-slip mat
- Dish pre-heating
- Food warm-keeping function
- Defrosting of frozen food
- Load capacity up to 15 kg

Dimensions H × W × D

- Appliance dimensions: 14.0 × 59.4 × 54.2 cm
- Installation dimensions: 14.0 × 56.0 – 56.8 cm × 55.0 cm

Thank You